

**INSTALLATION INSTRUCTIONS**

**Grill Cover: GC-P-GEN**



**Self Drilling Snaps  
(10pcs)**

**Grill Cover  
(1pc)**

1. The first thing you need to do is notice the hook sewn onto one edge of the cover as shown in **Fig.1**. You will hook this onto your vehicle frame in the next step as your starting point. See **Fig.1**.



**Fig.1**

2. Behind the bumper and as part of the grill, there is a center opening. This is where you will attach the cover hook to the Top edge of that opening as shown in **Fig.2**. You will slide it up onto the edge and pull the remaining cover on up behind the bumper. See **Fig.2**.



**Fig.2**



3. **Fig.3** shows the Cover Hook installed onto that upper edge of the opening as mentioned previously.



**Fig.3**

4. Once the Cover is hooked, now pull the rest of it up and out the front of the bumper as shown in **Fig.4**. You'll notice that there are (8) Snaps that need to be attached to your vehicle. However, you will need to mark on the vehicle where you will be installing the other half of the snaps to the vehicle in order for them to align correctly.


To mark the locations on your vehicle to match the snaps in the Cover, you will need to use a Paint Marker and mark the outer surface of the snaps on the cover. You will need to do these one at a time as the paint dries quickly. ( **Fig.4** shows ours already marked as we have previously completed this step)

5. Now starting from the bottom closest to where you hooked onto the frame, mark one of the snaps and then pull the cover up tight and press straight in on the snap you just marked, or painted. Press firmly to the vehicle so that the painted snap will leave the impression of the paint onto the vehicle marking the location for that snap.

See **Fig's.5 a,b & c**.




**Fig.4**



**Fig.5a**



**Fig.5b**



**Fig.5c**

6. After the mark is on the panel, take one of the other snap halves, find the center of your paint mark and screw it into that location. **Fig.6a** shows Before and After the Snap Half has been screwed into the panel. See **Fig's.6a-b**.

Repeat these steps for each Snap One-At-A-Time!



7. You will transfer the paint markings to the outer body panels the same as the previous panels. See **Fig.7a-b**.



**Fig.7a**

**Fig.7b**

8. When all the Snaps are installed, snap on the Cover and it should look like the one in **Fig.8**. Enjoy!



**Fig.8**

**Liability Statement**

SuperATV's® products are designed to best fit user's ATV/UTV under stock conditions. Adding, modifying, or fabricating any factory or aftermarket parts will void any warranty provided by SuperATV® and is not recommended. SuperATV's® products could interfere with other aftermarket accessories. If user has aftermarket products on machine, contact SuperATV® to verify that they will work together.

Although SuperATV® has thousands of satisfied customers, user should be aware that installing lift kits, long travel, or suspension kits, tires, etc. will change the ride of machine and may increase maintenance and part wear. Operating any off-road machine while, or after, consuming alcohol and/or drugs increases risk of bodily harm or death. No warranty or representation is made as to this product's ability to protect user from severe injury or death. SuperATV® urges operators and occupants to wear a helmet and appropriate riding gear at all times.

By purchasing and installing SuperATV® products, user agrees that should damages occur, SuperATV® will not be held responsible for loss of time, use, labor fees, replacement parts, or freight charges. SuperATV®, nor any 3rd party, will not be held responsible for any direct, indirect, incidental, special, or consequential damages that result from any product purchased from SuperATV®. The total liability of seller to user for all damages, losses, and causes of action, if any, shall not exceed the total purchase price paid for the product that gave rise to the claim.

SuperATV® will warranty only parts provided by SuperATV®. Any damage or problems with OEM housings, bearings, seals, or other manufacturers' products will not be covered by SuperATV®. SuperATV® parts and products are not warranted if item was not installed properly, misused, or modified.

Installing, adding, modifying, or fabricating any factory or aftermarket product to your ATV/UTV may violate certain local, state, and federal laws. Be advised that laws vary depending on town, city, county, state, etc. Use of certain products on public streets, roads, or highways may be in violation law. The Buyer is solely and exclusively legally and personally responsible for any violation of the law by the installation or use of the product. You must abide by all local, state, and federal laws, including but not limited to vehicle safety, traffic laws, and ordinances. It is your responsibility to know the laws and how they apply to you.

The Buyer is responsible to fully understand the capability and limitations of his/her vehicle according to manufacturer specifications, warnings and instructions and agrees to hold SuperATV® harmless from any damage resulting from failure to adhere to such specifications, warnings and/ or instructions. The Buyer is also responsible to obey all applicable federal, state, and local laws and ordinances when operating his/her vehicle while using this product, and the Buyer agrees to hold SuperATV® harmless from any violation thereof.

If you have any problems/questions on this kit, contact us by email at [Superatv.com](http://Superatv.com).

**Need help with your installation?**



[sales@superatv.com](mailto:sales@superatv.com)



[www.superatv.com](http://www.superatv.com)



1-855-743-3427



8:00am - 9:00pm EST M-Th  
8:00am - 7:00pm EST Friday  
9:00am - 2:00pm EST Saturday

*Thank You  
For Choosing*



**Like SuperATV on Facebook to keep up to date on new products!**