

INSTALLATION INSTRUCTIONS
Rear Windshield: RWS-KA-S200



Windshield (1)



Rubber Bulb Seal (1) pc



M6x25 Sealing Washers (5) pcs



M5 Nylock Nuts (5) pcs



Snug Fit Clamps (3) pcs



1/4" Windshield Clamps (2) pcs



1. The first thing you need to do is install the Bulb Trim Seal all around the outer perimeter of the Windshield. Start in the middle of the Windshield at the Top, pushing it onto the edge and working it all the way around to where you started. Then cut to trim so that the two ends meet and looks neat. See **Fig.1**.



Fig.1

2. Once you have the seal all the way around the Windshield, you are ready to mount it onto the vehicle. Notice in **Fig.1** the Windshield sets up against the frame from the inside of the vehicle and NOT from the outside of the frame.

There are holes already on the windshield for you to mount it with. Next, find the two 1-1/4" clamps in your kit. They are the larger ones. These are used to mount the sides.

Notice in **Fig.2a** the clamp wraps around the vertical frame pole. Next, find the Bolts and Nylock Nuts included in your kit and install the bolt from the outside towards the inside of the vehicle. Then install the Nylock Nut but don't tighten it down yet, just lightly snug it. You will want to make final adjustments to it before tightening everything down in place once all of the clamps are attached. Then repeat for the opposite side. See **Fig.2a**.




Fig.2



Fig.2b

3. **Fig.2b** shows how the hardware assembles to attach the windshield.

4. Once the side clamps are on, you can now install the top and bottom clamps. Notice in **Fig.3** the locations of the last three clamps. There is one at the top, and two for the bottom. You will install these in the locations guided by the existing holes in the Windshield, and assemble just like the previous side clamps.




Fig.3

Liability Statement
 SuperATV's® products are designed to best fit user's ATV/UTV under stock conditions. Adding, modifying, or fabricating any factory or aftermarket parts will void any warranty provided by SuperATV® and is not recommended. SuperATV's® products could interfere with other aftermarket accessories. If user has aftermarket products on machine, contact SuperATV® to verify that they will work together.

Although SuperATV® has thousands of satisfied customers, user should be aware that installing lift kits, long travel, or suspension kits, tires, etc. will change the ride of machine and may increase maintenance and part wear. Operating any off-road machine while, or after, consuming alcohol and/or drugs increases risk of bodily harm or death. No warranty or representation is made as to this product's ability to protect user from severe injury or death. SuperATV® urges operators and occupants to wear a helmet and appropriate riding gear at all times.

By purchasing and installing SuperATV® products, user agrees that should damages occur, SuperATV® will not be held responsible for loss of time, use, labor fees, replacement parts, or freight charges. SuperATV®, nor any 3rd party, will not be held responsible for any direct, indirect, incidental, special, or consequential damages that result from any product purchased from SuperATV®. The total liability of seller to user for all damages, losses, and causes of action, if any, shall not exceed the total purchase price paid for the product that gave rise to the claim.

SuperATV® will warranty only parts provided by SuperATV®. Any damage or problems with OEM housings, bearings, seals, or other manufacturers' products will not be covered by SuperATV®. SuperATV® parts and products are not warranted if item was not installed properly, misused, or modified.

Installing, adding, modifying, or fabricating any factory or aftermarket product to your ATV/UTV may violate certain local, state, and federal laws. Be advised that laws vary depending on town, city, county, state, etc. Use of certain products on public streets, roads, or highways may be in violation law. The Buyer is solely and exclusively legally and personally responsible for any violation of the law by the installation or use of the product. You must abide by all local, state, and federal laws, including but not limited to vehicle safety, traffic laws, and ordinances. It is your responsibility to know the laws and how they apply to you.

The Buyer is responsible to fully understand the capability and limitations of his/her vehicle according to manufacturer specifications, warnings and instructions and agrees to hold SuperATV® harmless from any damage resulting from failure to adhere to such specifications, warnings and/ or instructions. The Buyer is also responsible to obey all applicable federal, state, and local laws and ordinances when operating his/her vehicle while using this product, and the Buyer agrees to hold SuperATV® harmless from any violation thereof.

If you have any problems/questions on this kit, contact us by email at [Superatv.com](mailto:sales@superatv.com).

Need help with your installation?

 sales@superatv.com	 www.superatv.com
 1-855-743-3427	 8:00am - 9:00pm EST M-Th 8:00am - 7:00pm EST Friday 9:00am - 2:00pm EST Saturday

*Thank You
For Choosing*



 **Like SuperATV on Facebook to keep up to date on new products!**