



SHOP CATEGORIES

WHY S&B

SHOP BY VEHICLE



# INSTALL INSTRUCTIONS FOR 10-3009

**PRINT**

## BEFORE YOU START

## REQUIRED TOOLS

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY  
OF S&B FILTERS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION OF S&B FILTERS, INC. IS PROHIBITED.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	TL-10-3009-UT	Untrimmed 10-3009 Tank	1
2	T11362-00	Mounting Strap, Passenger Side, for 10-3009 Water Tank	2
3	T11345-00	L Hook, Anchor Bolt, 1/2"-13 Thread, 10.5"	2
4	T11123-00	NYLON-INSERT LOCK NUT	4
5	T11560-00	L Hook, Anchor Bolt, 1/2"-13 Thread, 8.5"	2
6	A12764-00	18-8 Stainless Steel Washer for 1/2" Screw Size	4
7	T11385-00	18-8 Stainless Steel Pan Head Screw with External-Tooth Washer, 10-32 Thread Size, 1-1/2" Long	5
8	T11384-00	18-8 Stainless Steel Washer for Number 10 Screw Size, 0.203" ID, 0.438" OD	5
9	T11387-00	10-3009 Tank Heatshield	1
10	T11386-00	Aluminum Unthreaded Spacer 5/16" OD, 1-1/8" Long, for Number 10 Screw Size	5

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS: mm  
TOLERANCES:  
FRACTIONS DECIMALS  
ANGULAR MATCH & 2ND DIM. BY  
DIM. PLACE DECIMALS & mm  
HOLE PLACE DECIMALS & mm  
INTERPRET DIMENSIONS PER ASME Y14.5M-1994  
TYPICAL DIMENSIONS

DESIGNED BY	NAME	DATE	TITLE
A.C.	06/04/2023		16 GALLON PASSENGER SIDE WATER TANK
CHECKED BY	NAME	DATE	
SEE BOM			
SIZE	DWG. NO.	REV	
C	10-3009	A	
SCALE: 1:5 DO NOT SCALE DRAWING SHEET 1 OF 1			



Hi. Need any help?





## STEP 1

Please confirm you have the inboard hole for the tank hanger. Please see drawing here which shows a transparent tank and measurements from the lateral crossmembers where the inboard hole for the hanger should be. If you don't have the hole in your body, you can drill the hole.









